


Dual TCU

Name: Dual TCU

Notes: Option: Dual Temperature Control. Independent temperature control of barrel and screw temperatures.




Insert Picture

Export Picture

Dual Swing Head

Name: Dual Swing Head

Notes: Option: The Dual Swing Head makes clean out and screen pack change easier for your operator.




Insert Picture

Export Picture

Platform Extension

Name: Platform Extension

Notes: Option: Extend your platform for larger material gaylords.



Insert Picture

Export Picture

Rear Extruder Well Light Curtain

Name: Rear Extruder Well Light Curtain

Notes: Option: If something drops into the well, the machine will shut down.



Insert Picture

Export Picture

S

Steady Rest #21460

Name: Steady Rest #21460

Notes: Option: 2"-22"




Insert Picture

Export Picture

Barrel Shield

Name: Barrel Shield

Notes: Option: Hot Surface Shield




Insert Picture

Export Picture

Chuck Guard

Name: Chuck Guard

Notes: Standard




Insert Picture

Export Picture

Power Feed TSB 3100 (option)

Name: Power Feed TSB 3100 (option)

Notes: **THE FEED ROLLER ASSEMBLY GUARDS AGAINST HANDS ENTERING THE FEED OPENING & BEING CAUGHT IN THE SCREW. INCLUDED**




Insert Picture

Export Picture

Flange Build Application System #20900

Name: Flange Build Application System #20900

Notes: Option



Insert Picture

Export Picture

Power Input Cableway Assembly

Name: Power Input Cableway Assembly

Notes: Option: In addition to the 120" base cost.




Insert Picture

Export Picture

Rotary Spindle TS w/ 20" Chuck

Name: Rotary Spindle TS w/ 20" Chuck

Notes: Optional




Insert Picture

Export Picture

Stady Rest #20025

Name: Stady Rest #20025

Notes: Optional - 6-20" Capacity



Insert Picture

Export Picture

32" Calendered Roll Applicator

Name: 32" Calendered Roll Applicator

Notes: Optional attachment for tooling station



Insert Picture

Export Picture

Hot Knife Heater & 6 knives

Name: Hot Knife Heater & 6 knives

Notes: Option



MADE IN
USA



Insert Picture

Export Picture

Digital Diameter Indication

Name: Digital Diameter Indication

Notes: Optional



Insert Picture

Export Picture

Variable Speed TS w/ Limit

Name: Variable Speed TS w/ Limit

Notes: Variable speed optional




Insert Picture

Export Picture

Heater & Scale Elect. Outlets

Name: Heater & Scale Elect. Outlets

Notes: Optional- Electrical outlets on the machine




Insert Picture

Export Picture

Cable E-Stop Assembly on Extruder

Name: Cable E-Stop Assembly on Extruder

Notes: Standard: Emergency cable stop on top of the applicator plate between the main electrical cabinet and the control console. The bars rise vertically from




Insert Picture

Export Picture

Pneumatic TS Lock Assembly

Name: Pneumatic TS Lock Assembly

Notes: Optional



Insert Picture

Export Picture

Non Contact anti collision switch

Name: Non Contact anti collision switch

Notes: **Standard on all CE equipment and grinders. STOPS THE GRINDER CARRIAGE AT THE TS.**




Insert Picture

Export Picture

Safety Bumper

Name: Safety Bumper

Notes: Standard for dual platform, or if additional safety factor is desired.



Insert Picture

Export Picture